

AUTHOR INDEX

PAGE

<i>Allen, L. R., Davis, J., Morton, D. C. and Hanbury Brown, R., The angular diameter and effective temperature of zeta Puppis</i>	45
<i>Baldwin, J. E., Jennings, J. E., Shakeshaft, J. R., Warner, P. J., Wilson, D. M. A. and Wright, M. C. H., Maps of the distribution of polarization in five radio sources at 21.1-cm wavelength</i>	253
<i>Bandermann, L. W. and Wolstencroft, R. D., Three-body capture of interstellar dust by the solar system</i>	173
<i>Bell, R. A., The nitrogen abundance of ν Indi</i>	15
<i>Brown, F. Elizabeth and Penston, M. V., The cloud-intercloud phase-change in the interstellar medium</i>	373
<i>Buchdahl, H. A., Non-linear Lagrangians and cosmological theory</i>	1
<i>Burnell, S. J. and Hewish, A., Fine structure in radio sources at metre wavelengths—I The observations</i>	141
<i>Cannon, R. D., Red giants in old open clusters</i>	111
<i>Cannon, R. D. and Lloyd, C., The old open cluster NGC 2420...</i>	279
<i>Cook, A. H., The moments of inertia and the density distribution of the Moon</i>	187
<i>Davies, J. G. and Thomasson, P., Further radio observations of planetary nebulae</i>	359
<i>Davies, R. D. & McCutcheon, W. H., Observations of the neutral hydrogen content of distant galaxies</i>	337
<i>Davis, J., Morton, D. C., Allen, L. R. and Hanbury Brown, R., The angular diameter and effective temperature of zeta Puppis</i>	45
<i>Dixon, M. E., Secular variations in the initial luminosity function</i>	195
<i>Eichhorn, Heinrich, Googe, William D. and Lukac, Carl F., The overlap algorithm for the reduction of photographic star catalogues</i>	35
<i>Googe, William D., Eichhorn, Heinrich and Lukac, Carl F., The overlap algorithm for the reduction of photographic star catalogues</i>	35
<i>Goyal, A. N. and Khandelwal, R. S., Double stars (final list) in the astrographic zones $+34^\circ$ and $+35^\circ$</i>	235
<i>Hanbury Brown, R., Davis, J., Morton, D. C. and Allen, L. R., The angular diameter and effective temperature of zeta Puppis</i>	45
<i>Harmer, D. L., Pagel, B. E. J. and Powell, A. L. T., The composition of δ Pavonis</i>	409
<i>Harrison, E. R., Spirals made simple</i>	443
<i>Hazlehurst, J. and Thomas, H.-C., Stellar rotation and the age of the Pleiades</i>	311
<i>Hearn, A. G., The abundance of helium in early-type stars and departures from local thermodynamic equilibrium</i>	227
<i>Hewish, A. and Burnell, S. J., Fine structure in radio sources at metre wavelengths—I. The observations</i>	141
<i>Hill, P. W., Photometry and spectral classification of early-type stars away from the galactic plane</i>	23
<i>Hummer, D. G. and Rybicki, G. B., Non-coherent scattering—VII. Frequency dependent thermalization lengths and scattering with continuous absorption</i>	419
<i>Hutchings, J. B., Rotationally extended stellar envelopes: γ Cas</i>	55
<i>Islam, Jamal N., On neutral stability against convection in general relativity</i>	237
<i>Jameson, R. F., Observations and a model of the zodiacal light</i>	207
<i>Jennings, J. E., Baldwin, J. E., Shakeshaft, J. R., Warner, P. J., Wilson, D. M. A. and Wright, M. C. H., Maps of the distribution of polarization in five radio sources at 21.1-cm wavelength</i>	253
<i>Khandelwal, R. S. and Goyal, A. N., Double stars (final list) in the astrographic zones $+34^\circ$ and $+35^\circ$</i>	235
<i>Kitchin, C. R., A method for determining the sizes of the gaseous envelopes surrounding Be stars</i>	455
<i>Klotz, A. H. and Lynch, J., A spherically symmetric, charged body in Rainich's Already Unified Field Theory</i>	149
<i>Larson, Richard B., The evolution of star clusters</i>	93
<i>Lloyd, D. and Cannon, R. D., The old open cluster NGC 2420...</i>	279
<i>Longair, M. S., The evolution of radio sources: The origin of cosmic rays and the X-ray background</i>	155
<i>Lukac, Carl F., Googe, William D. and Eichhorn, Heinrich, The overlap algorithm for the reduction of photographic star catalogues</i>	35
<i>Lynch, J. and Klotz, A. H., A spherically symmetric, charged body in Rainich's Already Unified Field Theory</i>	149
<i>McCutcheon, W. H. and Davies, R. D., Observations of the neutral hydrogen content of distant galaxies</i>	337
<i>Mohan, C., A note on the pulsational stability of a massive star in the helium burning phase</i>	137
<i>Morton, D. C., Davis, J., Allen, L. R. and Hanbury Brown, R., The angular diameter and effective temperature of zeta Puppis</i>	45
<i>Nieuwenhuijzen, H., An optical heterodyne experiment on stars</i>	325
<i>Pagel, B. E. J., Harmer, D. L., and Powell, A. L. T., The composition of δ Pavonis</i>	409

<i>Penston, M. V. and Brown, F. Elizabeth</i> , The cloud-intercloud phase-change in the interstellar medium	373
<i>Powell, A. L. T., Harmer, D. L. and Pagel, B. E. J.</i> , The composition of δ Pavonis	409
<i>Rickett, B. J.</i> , Interstellar scintillation and pulsar intensity variations	67
<i>Rowan-Robinson, M.</i> , Extra-galactic radio sources—II. The interaction of radio sources with cosmical blackbody radiation	389
<i>Rybicki, G. B. and Hummer, D. G.</i> , Non-coherent scattering—VII. Frequency dependent thermalization lengths and scattering with continuous absorption	419
<i>Saslaw, William C.</i> , Violent relaxation in galaxies and stellar systems	299
<i>Shakeshaft, J. R., Baldwin, J. E., Jennings, J. E., Warner, P. J., Wilson, D. M. A. and Wright, M. C. H.</i> , Maps of the distribution of polarization in five radio sources at 21.1-cm wavelength	253
<i>Shuter, W. L. H. and Venugopol, V. R.</i> , A survey of galactic neutral hydrogen (summary), published in <i>Memoirs</i> , Volume 74, Part I	481
<i>Strittmatter, P. A. and Wickramasinghe, D. T.</i> , The atmospheres of white dwarfs—II. The effects of convection	435
<i>Tarafdar, S. P. and Vardya, M. S.</i> , Absorption coefficient of H^- and interparticle interaction—II. Forbidden bound-free continuum... ..	9
<i>Thackeray, A. D.</i> , The spectroscopic orbit of the O-type subdwarf HD 49798	215
<i>Thomas, H.-C. and Hazlehurst, J.</i> , Stellar rotation and the age of the Pleiades	311
<i>Thomasson, R. and Davies, J. G.</i> , Further radio observations of planetary nebulae	359
<i>Vardya, M. S. and Tarafdar, S. P.</i> , Absorption coefficient of H^2 and interparticle interaction—II. Forbidden bound-free continuum... ..	9
<i>Venugopol, V. R. and Shuter, W. L. H.</i> , A survey of galactic neutral hydrogen (summary), published in <i>Memoirs</i> , Volume 74, Part I	481
<i>Warner, P. J., Baldwin, J. E., Jennings, J. E., Shakeshaft, J. R., Wilson, D. M. A. and Wright, M. C. H.</i> , Maps of the distribution of polarization of five radio sources at 21.1-cm wavelength	253
<i>Wickramasinghe, D. T. and Strittmatter, P. A.</i> , The atmospheres of white dwarfs—II. The effects of convection	435
<i>Wilson, D. M. A., Baldwin, J. E., Jennings, J. E., Shakeshaft, J. R. Warner, P. J. and Wright, M. C. H.</i> , Maps of the distribution of polarization in five radio sources at 21.1-cm wavelength	253
<i>Wolstencroft, R. D. and Bandermann, L. W.</i> , Three-body capture of interstellar dust by the solar system	173
<i>Wright, M. C. H.</i> , Polarization of the Crab Nebula at 21.1-cm wavelength	271
<i>Wright, M. C. H., Baldwin, J. E., Jennings, J. E., Shakeshaft, J. R., Warner, P. J., and Wilson, D. M. A.</i> , Maps of the distribution of polarization on five radio sources at 21.1-cm wavelength	253

SUBJECT INDEX

Astrometry

The overlap algorithm for the reduction of photographic star catalogues, <i>William D. Googe, Heinrich Eichhorn and Carl F. Lukac</i>	35
--	----

Astrophysics

Absorption coefficient of H^- and interparticle interaction—II. Forbidden bound-free continuum, <i>S. P. Tarafdar and M. S. Vardya</i>	9
The nitrogen abundance of ν Indi, <i>R. A. Bell</i>	15
The angular diameter and effective temperature of zeta Puppis, <i>J. Davis, D. C. Morton, L. R. Allen and R. Hanbury Brown</i>	45
The evolution of star clusters, <i>Richard B. Larson</i>	93
The evolution of radio sources: The origin of cosmic rays and the X-ray background, <i>M. S. Longair</i>	155
Secular variations in the initial luminosity function, <i>M. E. Dixon</i>	195
The abundance of helium in early-type stars and departures from local thermodynamic equilibrium, <i>A. G. Hearn</i>	227
On neutral stability against convection in general relativity, <i>Jamal N. Islam</i>	237
Violent relaxation in galaxies and stellar systems, <i>William C. Saslaw</i>	299
An optical heterodyne experiment on stars, <i>H. Nieuwenhuijzen</i>	325
The composition of δ Pavonis, <i>D. L. Harmer, B. E. H. Pagel and A. L. T. Powell</i>	409
Non-coherent scattering—VII. Frequency dependent thermalization lengths and scattering with continuous absorption, <i>D. G. Hummer and G. B. Rybicki</i>	419
The atmospheres of white dwarfs—II. The effects of convection, <i>D. T. Wickramasinghe and P. A. Strittmatter</i>	435

Crab Nebula

Polarization of the Crab Nebula at 21·1-cm wavelength, *M. C. H. Wright* 271

Extra-galactic nebulae

Violent relaxation in galaxies and stellar systems, *William C. Saslaw* 299
 Observations of the neutral hydrogen content of distant galaxies, *W. H. McCutcheon and R. D. Davies* 337
 Extra-galactic radio sources—II. The interaction of radio sources with the cosmical blackbody radiation, *M. Rowan-Robinson* 389
 Spirals made simple, *E. R. Harrison* 443

Interstellar matter

Interstellar scintillation and pulsar intensity variations, *B. J. Rickett* 67
 Three-body capture of interstellar dust by the solar system, *L. W. Bander mann and R. D. Wolstencroft* 173
 Observations of the neutral hydrogen content of distant galaxies, *W. H. McCutcheon and R. D. Davies* 337
 The cloud-intercloud phase-change in the interstellar medium, *M. V. Penston and F. Elizabeth Brown* 373
 A survey of galactic neutral hydrogen, *V. R. Venugopal and W. L. H. Shuter*, published in *Memoirs*, Volume 74, Part I 481

Moon

The moments of inertia and the density distribution of the Moon, *A. H. Cook* 187

Photometric studies

Photometry and spectral classification of early-type stars away from the galactic plane, *P. W. Hill* 23

Planetary nebulae

Further radio observations of planetary nebulae, *P. Thomasson and J. G. Davies* 359

Pulsars

Interstellar scintillation and pulsar intensity variations, *B. J. Rickett* 67

Radio astronomy

Interstellar scintillation and pulsar intensity variations, *B. J. Rickett* 67
 Fine structure in radio sources at metre wavelengths—I. The observations, *A. Hewish and S. J. Burnell* 141
 The evolution of radio sources: The origin of cosmic rays and the X-ray background, *M. S. Longair* 155
 Maps of the distribution of polarization in five radio sources at 21·1-cm wavelength, *J. E. Baldwin, J. E. Jennings, J. R. Shakeshaft, P. J. Warner, D. M. A. Wilson and M. C. H. Wright* 253
 Polarization of the Crab Nebula at 21·1-cm wavelength, *M. C. H. Wright* 271
 Observations of the neutral hydrogen content of distant galaxies, *W. H. McCutcheon and R. D. Davies* 337
 Further radio observations of planetary nebulae, *P. Thomasson and J. G. Davies* 359
 A survey of galactic neutral hydrogen, *V. R. Venugopal and W. L. H. Shuter*, published in *Memoirs*, Volume 74, Part I 481

Solar system

Three-body capture of interstellar dust by the solar system, *L. W. Bander mann and R. D. Wolstencroft* 173

Stars—atmospheres of

The nitrogen abundance of ν Indi, *R. A. Bell* 15
 The abundance of helium in early-type stars and departures from local thermodynamic equilibrium, *A. G. Hearn* 227
 The composition of δ Pavonis, *D. L. Harmer, B. E. J. Pagel and A. L. T. Powell* 409
 The atmospheres of white dwarfs—II. The effects of convection, *D. J. Wickramasinghe and P. A. Strittmatter* 435

Stars—angular diameter of

- The angular diameter and effective temperature of zeta Puppis, *J. Davis, D. C. Morton, L. R. Allen and R. Hanbury Brown* 45

Stars—binary

- The spectroscopic orbit of the O-type subdwarf HD 49798, *A. D. Thackeray* 215
 Double stars (final list) in the astrographic zones $+34^\circ$ and $+35^\circ$, *R. S. Khandeltwal and A. N. Goyal* 235

Stars—clusters of

- The evolution of star clusters, *Richard B. Larson* 93
 Red giants in old open clusters, *R. D. Cannon* 111
 The old open cluster NGC 2420, *R. D. Cannon and C. Lloyd* 279

Stars—envelopes of

- Rotationally extended stellar envelopes: γ Cas, *J. B. Hutchings* 55
 A method for determining the sizes of the gaseous envelopes surrounding Be stars, *C. R. Kitchin* 455

Stars—red giant

- Red giants in old open clusters, *R. D. Cannon* 111

Stars—rotation of

- Stellar rotation and the age of the Pleiades, *J. Hazlehurst and H.-C. Thomas* 311

Stars—spectra of

- Photometry and spectral classification of early-type stars away from the galactic plane, *P. W. Hill* 23

Stars—white dwarfs

- The atmospheres of white dwarfs—II. The effects of convection, *D. T. Wickramasinghe and P. A. Strittmatter* 435

Stellar structure and evolution

- A note on the pulsational stability of a massive star in the helium burning phase, *C. Mohan* 137
 Secular variations in the initial luminosity function, *M. E. Dixon* 195
 Stellar rotation and the age of the Pleiades, *J. Hazlehurst and H.-C. Thomas* 311

Universe—cosmology—relativity

- Non-linear Lagrangians and cosmological theory, *H. A. Buchdahl* 1
 A spherically symmetric, charged body in Rianich's Already Unified Field Theory, *A. H. Klotz and J. Lynch* 149
 The evolution of radio sources: The origin of cosmic rays and the X-ray background, *M. S. Longair* 155
 On neutral stability against convection in general relativity, *Jamal N. Islam* 237
 Extra-galactic radio sources—II. The interaction of radio sources with the cosmical blackbody radiation, *M. Rowan-Robinson* 389
 Spirals made simple, *E. R. Harrison* 443

Zodiacal light

- Observations and a model of the zodiacal light, *R. F. Jameson* 207

45

215

235

93

111

279

55

455

111

311

23

435

137

195

311

1

149

155

237

389

443

207